

## 2024 DRINKING WATER CONSUMER CONFIDENCE REPORT SOUTHEAST

#### **PUBLIC WATER SYSTEM OH7803203**

#### INTRODUCTION

Trumbull County had a current, unconditioned license to operate this Public Water System in 2024. Trumbull County has prepared the following report to provide information to you, the consumer, on the quality of our drinking water. This report was required as part of the Safe Drinking Water Act Re-authorization of 1996 and is required to be delivered to the consumers by July 1, 2025. Included within this report is general health information, water quality test results, how to participate in decisions concerning your drinking water and water system contacts. Trumbull County Southeast Public Water System obtains its primary source water from the City of Niles Public Water System which in turn purchases water from the Mahoning Valley Sanitary District - Meander Water. Meander Water draws water from Meander Reservoir, which is considered a surface water source and requires extensive treatment before being used as drinking water.

#### WATER SOURCE ASSESSMENT

For the purposes of source water assessments in Ohio, all surface waters are considered to be susceptible to contamination. By their nature, surface waters are readily accessible and can be contaminated by chemicals and pathogens which may rapidly arrive at the public drinking water intake with little warning or time to prepare. The Mahoning Valley Sanitary District water system treats the water to meet drinking water supply quality standards, but no single treatment technique can address all potential contaminants. The potential for water quality impacts can further be decreased by measures to protect Meander Creek Reservoir and its watershed. More detailed information is provided in the Mahoning Valley Sanitary District's Drinking Water Source Assessment Report, which can be obtained by calling John Nemet at (330)652-3614. The MVSD Meander Creek Reservoir Drinking Water Source Protection Plan is available at the **meanderwater.org website** by clicking on the link for **Administration Public Records**.

#### WHAT ARE SOURCES OF CONTAMINATION TO DRINKING WATER

The sources of drinking water, both tap water and bottled water includes rivers, lakes, streams, ponds, reservoirs, springs, and wells. As the water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity. Contaminants that may be present in source water:

- Microbial Contaminants, such as viruses and bacteria, which may come from sewage treatment plants septic systems, livestock, and wildlife.
- Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm run-off, and residential uses.
- > Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.

- Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.
- Radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, EPA prescribes regulations, which limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water which must provide the same protection for public health. Drinking water, including bottled water, may reasonably contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk.

More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline.

### Safe Drinking Water Hotline 1-800-426-4791

#### SOUTHEAST WATER FACTS ....

In their efforts to supply the safest possible product, Meander Water uses chloramines for disinfection of viruses and bacteria. Fluoride is also added to enhance dental protection. The levels of these two additives are monitored daily to ensure proper dosages are being added.

On average the County purchases 29.87 million gallons of water per month from the City of Niles Public Water System for the Trumbull County Southeast Public Water System. The distribution system consists of 47 miles of water line varying in size from 6 through 16 inches in diameter.

Trumbull County Southeast Public Water System has 3,700 service connections and services an estimated 9,065 people. Two booster pump stations are located along Warren-Sharon Road and elevated storage is provided by a 1,000,000-gallon standpipe located off of SR 7 and a 300,000 gallon elevated tank located off of Sodom-Hutchings Road.

The County strives to provide safe and aesthetically pleasing drinking water to its residents as well as many businesses and visitors.

#### SPECIFIC HEALTH CONCERNS

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV / AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA / CDC guidelines on appropriate means to **lessen the risk of an infection** by *cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (800-426-4791)

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The Southeast Public Water System is responsible for providing high quality drinking water, but cannot control the variety of materials used in household plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. A list of laboratories certified in Ohio to test for lead or perform other analyses on public drinking water may be found at <a href="https://www.epa.state.oh.us/ddagw">www.epa.state.oh.us/ddagw</a> or by calling 614-644-2752. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline at 800-426-4791 or at <a href="https://www.epa.gov/safewater/lead">https://www.epa.gov/safewater/lead</a>.

#### REVISED TOTAL COLIFORM RULE (RTCR) INFORMATION

The Consumer Confidence Report (CCR) reflects changes in drinking water regulatory requirements during 2024. All water systems were required to comply with the Total Coliform Rule from 1989 to March 31, 2016, and begin compliance with a new rule, the Revised Total Coliform Rule, on April 1, 2016. The new rule maintains the purpose to

protect public health by ensuring the integrity of the drinking water distribution system and monitoring for the presence of total coliform bacteria, which includes E. coli bacteria. The U.S. EPA anticipates greater public health protection under the new rule, as it requires water systems that are vulnerable to microbial contamination to identify and fix problems. As a result, under the new rule there is no longer a maximum contaminant level violation for multiple total coliform detections. Instead, the new rule requires water systems that exceed a specified frequency of total coliform occurrences to conduct an assessment to determine if any significant deficiencies exist. If found, these must be corrected by the PWS.

#### ABOUT YOUR DRINKING WATER

The EPA requires regular sampling to ensure drinking water safety. Meander Water (MVSD) and Trumbull County Sanitary Engineers (TCSE) have conducted sampling for bacteria, inorganic, radiological, synthetic organic, and volatile organic contaminants during 2024. Samples were collected for a total of 56 different contaminants, most of which were not detected in either water supply. The Ohio EPA requires monitoring for some contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of their data, though accurate, are more than one-year-old.

#### PFAS SAMPLING

In 2021, The Mahoning Valley Sanitary District (our Wholesaler) was sampled as part of the State of Ohio's Drinking Water Per- and Polyfluoroalkyl Substances (PFAS) Sampling Initiative. Results from this sampling indicated PFAS were detected in our drinking water below the action level established by Ohio EPA. Follow up monitoring is being conducted. For more information about PFAS, and to view our latest results, please visit pfas.ohio.gov.

#### THE MAHONING VALLEY SANITARY DISTRICT: PFAS RESULTS 2020

PFAS		SAMPLE D	ATE: 7/20/2020	SAMPLE DATE: 10/27/2020
COMPOUND	STATEWIDE ACTION LEVEL (ng/L)	RAW WATER (ng/L)	FINISHED WATER (ng/L)	FINISHED WATER (ng/L)
PFOA	> 70 single of combined with PFOS	< 5	< 5	< 5
PFOS	> 70 single of combined with PFOA	33	19	15.5
GenX	> 700	< 25	< 25	< 25
PFBS	> 140,000	< 5	< 5	< 5
PFHxS	> 140	6.6	5.3	5.28
PFNA	> 21	< 5	< 5	< 5

#### THE MAHONING VALLEY SANITARY DISTRICT: PFAS RESULTS 2021

DEAC COMPOUND	CONTRACTOR A CALICAL LEAVEL (*** 11.)	<b>SAMPLE DATE: 2/3/2021</b>
PFAS COMPOUND	STATEWIDE ACTION LEVEL (ng/L)	FINISHED WATER (ng/L)
PFOA	> 70 single of combined with PFOS	< 5
PFOS	> 70 single of combined with PFOA	12.9
GenX	> 700	< 25
PFBS	> 140,000	< 5
PFHxS	> 140	5.42
PFNA	> 21	< 5

#### PUBLIC PARTICIPATION

The public is encouraged to voice concerns, and learn of decisions regarding their drinking water during weekly meetings of The Trumbull County Board of Commissioners. Meetings are held each Wednesday at 10:30 A.M. in the Commissioner's Hearing Room, on the fifth floor of the County Administration Building at 160 High St. NW, Warren, Ohio, 44481. Occasional changes in meeting location, date or time do occur; please call (330) 675-2451 to confirm. Specific questions may also be directed to Gary Newbrough, Sanitary Engineer, at (330) 675-7753.

HEALTH EFFECTS LANGUAGE FOR CHLORINE CONTACT TIME VIOLATION
The United States Environmental Protection Agency (USEPA) sets drinking water standards and have determined that
the presence of microbiological contaminants is a health concern at certain levels of exposure. If water is inadequately
treated, microbiological contaminants in that water may cause disease. Disease symptoms may include diarrhea,
cramps, nausea, and possibly jaundice, and any associated headaches and fatigue. These symptoms, however, are not
just associated with disease-causing organisms in drinking water. USEPA has set enforceable requirements for treating
drinking water to reduce the risk of these adverse health effects. Treatment such as filtering and disinfecting the water
removes or destroys microbiological contaminants. Drinking water, which is treated to meet USEPA requirements, is
associated with little to none of this risk and should be considered safe.

#### OHIO METER TAMPERING LAW

In accordance with Sections 4933.18, 19, & 99 of the Ohio Revised Code, Trumbull County is required to notify customers annually of the Ohio Meter Tampering Law.

- 1.) Tampering is defined as interfering with, damaging or bypassing a meter or service equipment to reduce the amount of water consumption registered on the meter.
- No person shall reconnect a water meter, conduit, or attachment that has been disconnected by a utility without the consent of the utility.

Violators may be sentenced to a maximum of five years in jail, and/or fined up to \$2500. In addition, violators must pay for the value of the water used and the cost of repairs or replacement of equipment.

#### **BACKFLOW PREVENTION TIPS**

\*\*TO REPORT CROSS CONNECTIONS OR VIOLATIONS, PLEASE CONTACT RON WATSON, WATER SUPERINTENDENT, AT 330-675-7758 OR BY E-MAIL AT SEWATSON@CO.TRUMBULL.OH.US\*\*

#### Educational Information to help you help us keep our drinking water safe!

#### Why be concerned?

- ALL cross-connections pose a potential health risk.
- Backflow can be a health hazard for your family or other consumers if contaminated water enters your water supply
  plumbing system and is used for drinking, cooking or bathing.
  - Chemical burns, fires, explosions, poisonings, illness and death have all been caused by backflow through cross-connections,
- Backflow occurs more often than you think.
- You are legally responsible for protecting your water supply plumbing from backflow that may contaminate drinking
  water, either your own or someone else's. This includes complying with the plumbing code and not creating crossconnections.

#### What can I do?

- Be aware of and eliminate cross-connections.
- · Maintain air gaps. Do not submerge hoses or place them where they could become submerged.
- Use hose bib vacuum breakers on fixtures (hose connections in the basement, laundry room and outside.)
- Install approved, testable backflow preventers on lawn irrigation systems.
- Do not create a connection between an auxiliary water system (well, cistern, body of water) and the water supply
  plumbing.

#### What are some common backflow hazards that threaten the homeowner and other consumers?

- Hose connections to chemical solution aspirators to feed lawn and shrub herbicides, pesticides or fertilizers.
- Lawn irrigation systems.
- Chemically treated heating systems.
- Hose connections to a water outlet or laundry tub.
- Swimming pools, hot tubs, spas.
- Private and/or non-potable water supplies located on the property.
- Water-operated sump pump devices.
- Feed lots/livestock holding areas or barnyards fed through pipes or hoses from our water supply plumbing.

#### What are examples of cross-connection and backflow scenarios?

- Soapy water or other cleaning compounds back siphon into the water supply plumbing through a faucet or hose submerged
  in a bucket or laundry basin.
- Pool water back siphons into the water supply through a hose submerged in a swimming pool.
- Fertilizers/pesticides back siphon into the water supply plumbing through a garden hose attached to a fertilizer/pesticide sprayer.
- Chemicals/pesticides and animal feces drawn into the water supply plumbing from a lawn irrigation system with submerged nozzles.
- Bacteria/chemicals/additives in a boiler system back siphon into the water supply plumbing.
- Unsafe water pumped from a private well applies backpressure and contaminates the public water supply through a
  connection between the private well discharge and the potable water supply plumbing.

#### KEY TO TABLES

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Contaminant Level (MCL): The highest level of contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Action Level (AL): The concentration of a contaminant which, when exceeded, triggers treatment or other requirements which a water system must follow.

Ppb: parts per billion, or 1 part in a billion parts.

Ppm: parts per million, or 1 part in a million parts.

TT: Treatment technique: A required process intended to reduce the level of a contaminant in drinking water.

"<" This is a mathematical symbol that means "less than" and ">" is a symbol that means "greater than".

**TTHMs:** Trihalomethanes which are created by the disinfection process of water treatment. Some people who drink water containing trihalomethanes in excess of the MCL over many years may experience problems with their liver, kidneys, or central nervous systems, and may have an increased risk of getting cancer.

HAA5: Haloacetic Acids (5): Contaminant group whose combined MCL is 60 ug/l and is calculated as the sum of the concentrations of the following five acids. Dibromo-acetic, Dichloro-acetic, Monobromo-acetic, Monochloro-acetic, and Trichloro-acetic based on a (RAA) Running Annual Average.

**TOC:** Total Organic Carbon: The value reported under "Level Found" for Total Organic Carbon is the lowest ratio between the percentage of TOC actually removed to the percentage of TOC required to be removed. A value greater than one (1) indicates that the water system is in compliance with TOC removal requirements. A value less than one (1) indicates a violation of the TOC removal requirements.

**Nephelometric Turbidity Unit (NTU):** Nephlometric Turbidity Unit is a measure of the clarity of the water. Turbidity in excess of 5 NTU is noticeable by the average person.

**BDL:** Below detectable limits

ug/l: micrograms per liter: or Ppb, parts per billion, or 1 part in a billion parts.

SHOULD YOU HAVE QUESTIONS OR CONCERNS REGARDING THIS REPORT, DISTRIBUTION, SERVICE, PRESSURE, LEAD AND COPPER SAMPLING RESULTS OR DISCOLORED WATER, CONTACT Gary Newbrough, Sanitary Engineer @ 330-675-7753.

	I
E FOR 2024	
ě	
TY TABLE FOR	١
ΥŢΑ	l
M	l
SOC	1
WS WATER QUALITY	ļ
٨SM	ŀ
ST PWS	ŀ
HEA	ŀ
SOUTHE	
	-

WATER.CONTAMINANTS UNIT MCLG MCL	TINO	MCLG	MCL	FOUND	-DETECTION	YEAR	MOLATION	LENGTHON SAMPLE MOLATION TO SAMP
THE FOLLOWING CONTAMINANTS ARE REPORTED BY OUR WHOLESALER: MAHONING VALLEY SA	EPORTED	BY OUR WIT	OLESALER: MA	SHONING VALLE	EY SANITARY DISTRICT	TRICT		
Fluoride	mdd	4	4	0.99	0.85-1.15	2024 MVSD	S.	Erosion of natural deposits: Water additive which promotes strong health Discharge from farilities, and aliminim farteries.
Ntrate	mdd	10	10	0.32	<0.10-0.57	2024 MVSD	2	Runoff from ferbilizer user, Leaching from service Emission of natural deposits
Barium	mdd	2	2	<10 ug/	10 ug/l	2024 MVSD	Г	Discharge of drilling wastes: Discharge from mats refinement Ernsion of natural denorate
Turbidity (1)	ntu	NA	F	0.04	0.02-0.13	2024 MVSD	Γ	Soil Rupoff
Lowest monthly % meeting turbidity limits		Ą	Þ	100%	100%	2024 MVSD	Š	Soil Runoff
Atrazine	. qdd	2	2	<0.071	NA	2024 MVSD		Runoff from herbicide used on row crops
Toc (2)	mad	NA	F	1,66	1.20-2.2	2024 MVSD	2	Naturally present in the environment
THE FOLLOWING CONTAMINANTS ARE REPORTED BY: TRUMBU	EPORTED	BY: TRUMBL	ULL COUNTY (TCSE)	TCSE)				
HAA-Halo Acetic Acid HAA5 (3)	qdd	AN	09	30.3 Avg	23,3-38,3	2024 TCSE	2	By-croduct of drinking water chlorination
Trihato-methanes TTHM's (3)	qaa	AN	80	66.7 Avg	57.1-84.4	1 2024 TCSE		By-product of drinking water chlorination
Lead (4A) 1-1-24-5-30-24	qud	0	AL=15 ug/l	8	<2-56.3	2024 TCSE	Ş	Corresion of household alumbing system
Copper (4B) 1-1-24-5-30-24	mdd _	13	AL=1.3 mg/i	0.0406	0.00-0.0575	2024 TCSE	2	Comosion of household blumbing system and leaching from wood preservatives
Lead (4C) 7-1-24-12-31-24	qdd	0	A! =15 ug/l	2	<2-12.8	2024 TCSE		Corrosion of household plumbing swelern
Copper (4D) 7-1-24-12-31-24	maa	1.3	AL=1.3 mg/l	0.04318	0.00-0.0954	2024 TCSE	ON	Corresion of household blumbing system and leaching from wood presentatives
Total Chlorine Chloramines	mdd	MRDLG=4	MRDL=4	1.67 Avg	1.11-2.18	2024 TCSE		Water additine used to control microbes
Asbestos	Ā	7		0.062	0.062-0.062	2022 TCSE	8	Decay of asbestus cement water mains. Erusion of natural denosits
THE FOLLOWING WERE REPORTED BUT NOT REGULATED BY THE EPA	NOT REGI	JLATED BY T	HE EPA			1		
PH				9.53 Avg		1.2024 MVSD	ON.	Measure of the acidity or alkalinity of a solution
HARDNESS	шаа			80 Ava		2024 MVSD	l	Hartness is caused by community of require mannestim and a variety of other metals. For another local digida by 47.4
COMPANY THE PARTY OF THE PARTY	1						ı	PRINCES OF CONSOLIDATION OF CANADATION OF CONTRACT OF

WINTER QUALITY TABLE FOOTNOTES

(1) (10% of the service below the restruction to the object that the properties of the coughtness of the restruction of the effectiveness of our fittation system. The turbidity limit set by the EPA is 0.3 NTC in 95% of the semples analyzed each month and shall not deceed (1) (10% of the lowest monthly percentage of samples meeting the turbidity limit set by the EPA is 0.3 NTC in 95% of the semples analyzed each month and shall not deceed (1) the lowest monthly returned to the presentage of TOC returbing the turbidity limit set by the EPA is 0.3 NTC in 95% of the semples analyzed each month and shall not display the second of turbidity in the lowest monthly returbed to the lowest monthly returbed the semples are of the semples and the semples are seen of the semple seed in the semple seen of the semple seed in the semple seed of 1.3 mg/l.

(45) Zero of forty-one samples were found to have levels in excess of the action level of 1.5 mg/l.

(44) Zero of forty-one samples were found to have levels in excess of the action level of 1.5 mg/l.

(45) Zero of forty-one samples were found to have levels in excess of the action level of 1.5 mg/l.

(45) Zero of forty-one samples were found to have levels in excess of the action level of 1.5 mg/l.

(47) Zero of forty-one samples were found to have levels in excess of the action level of 1.5 mg/l.

(49) Zero of forty-were samples were found to have levels in excess of the action level of 1.5 mg/l.

(49) Zero of forty-were samples were found to have levels in excess of the action levels of 1.5 mg/l.

(49) Zero of forty-were samples were found to have levels in excess of the action level of 1.5 mg/l.

(49) Zero of forty-were samples were found to have levels in excess of the action level of 1.5 mg/l.

(49) Zero of forty-were samples were found to have levels in excess of the action level of 1.5 mg

# KEY TO TABLE

MCLG = Meanmum Contaminant Level Soat. The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

MCLG = Meanmum Contaminant Level Soat. The level of a contaminant that is allowable in christopy and area. MCLS is easily as easily seeds a contaminant that is allowable in christopy water. MCLs are set as obset to set McClos are set while the terminant that is allowable of some contaminants.

MCLC = Meanmum Residual Districtant Level Goat: The level of a districtant level of a districtant water. There is convincing evidence that addition of a failt-factor in correct of microbial contaminants.

MCLC = Meanmum Residual Districtant Level Goat: The level of drinking water districtant below which there is no known or expected risk to health. MCDLGs do not reflect the benefits of the use of districtants to control microbial contaminants.

PETE = Petits per Billion of 1 part in a Billion parts

UGL = Meanmum Residual Districtant Level Goat: The level of drinking water districtant below which there is no known or expected risk to health. MCDLGs do not reflect the benefits of the use of districtants to control microbial contaminants.

PETE = Petits per Billion of 1 part in a Billion parts

UGL = Microbian parts per Billion or 1 part in a Billion parts

UGL = Microbian parts per Billion or 2 part per Billion parts

UGL = Microbian parts per Billion or 3 part per Billion in a Million

BUL = Estable well believed to require the level of a contaminant in dipking water.

In Treatment The Angelingual A required process intended to reduce the level of a contaminant in dipking water.

ND = box detected at testing limits
THMs = Thislometranes which are created by the disinfaction process of water treatment.
THMs = Thislometranes which are created by the disinfaction process of water treatment.
THMs = Thislometranes which are created by the disinfaction process of water treatment.
TOC = rotal Organic Carbon whose commitmed MCL is 60 ug/l and is calculated as the sum of the concentrations of the following five acids. Dichloro-acetic, Monochloro-acetic, and Trichloro-acetic, and Trichloro-acetic and Trichloro-ace